US ERA ARCHIVE DOCUMENT

150

### REGISTRATION SUPPORT AND EMERGENCY RESPONSE BRANCH REGISTRATION DIVISION (TS-767)

#### PRODUCT CHEMISTRY REVIEW ON NEW CHEMICALS

***	~	٠,		
Η.	нι	ĸ	YI.	•

Bhushan Mandava, Ph.D., Chemist

Registration Support and

Fmergency Response Branch

Bhushon Mandava

TO:

Henry Jacoby (PM 21) Registration Division

REQUESTOR: Stauffer Chemical Company
REGISTRATION NO.: 476-859 ACCESSION NO. 259624
PESTICIDE CHEMICAL CODE: 039003 CAS REG. NO. 137-42-8
CHEMICAL NAME: Sodium Methyldithiocarbamate
COMMON/TRADE NAME: Metham-sodium, Metam-sodium, VAPAM®
USE: Soil fumigant
PRODUCT CHEMISTRY: This product chemistry review addresses the response to a
letter sent to Stauffer (dated 7/19/82) requesting further information in support
of a registration application. The active ingredient (AI) in this product is
identified, but a CAS based name is not given. A description of the manufacturing
process is adequate. The purity of all the beginning materials is specified, but
the source(s) and impurities, if any, of the beginning materials are not listed.
The theoretical discussion of the formation of impurities covers all of the
impurities noted from the analysis. The preliminary analyses of the technical
grade active ingredient (TGAI) and the end-use product (EP) were completed. The
impurities present in the EP are characterized. Analytical methods for enforce-
ment are clearly explained, methods for quantification of all impurities noted
and theorized are also included.
ADDITIONAL DATA NEEDED: 1) Source of beginning (starting) materials

# MANUFACTURING PROCESS INFORMATION IS NOT INCLUDED


material data safety sheets). 2) The dissociation
constant of the TGAI and information on the melting point or decomposition of the
TGAI. 3) A Confidential Statement of Formula (CSF) listing the active ingredient
and its upper and lower certified limits, and upper certified limits for impur-
ities present in concentrations of 0.1% or greater. The upper and lower certified
limits of any intentionally added inert ingredients should also be included. 4)
Submit samples of both the TGAI and the EP for validation of data.
RECOMMENDATION: Approve after submission of product specification sheets,
dissociation constant, melting point or decomposition information, revised CSF,
and samples.

Attachment

#### APPENDIX

#### EVALUATION OF THE PRODUCT CHEMISTRY DATA SUBMITTED

1. Product Identity— The applicant provided spectral data to support the claims for metam sodium. The evidence provided was IR (indicative of bands for N-H, C-S, and C-H stretching and bending vibration), NMR (a singlet methyl resonance), and UV [250 rm (  $_{\rm max}9200$ ) and 282 rm (  $_{\rm max}$  11,400)]. The applicant should have provided a mass spectrum of the TGAI by field desorption mass spectrometry (which gives the molecular weight and other fragments corresponding to the structure) and  $^{13}{\rm C}$  NMR data for an unequivocal identification of the AI.



- 3. Discussion on Formation of Impurities- All the impurities in the TGAI were identified by MS (data given).
- 4. Analytical Methods for Verification of Certified Limits (Enforcement)— Metham in VAPAM® was determined by a titration method. Metham was converted to potassium methyl xanthate, which was titrated with iodine. Data presented on a sample of VAPAM® shows an average value of 33.19% metham (12 repetitive analyses) and a coefficient of variation of 0.3%. Water was analyzed by the Karl Fischer Method. Sodium content was determined by atomic absorption spectrometry.

WANUFACTURING PROCESS INFORMATION IS NOT INCLUDED

#### PRODUCT CHEMISTRY REVIEW FOR NEW CHEMICALS

PRODUCT SPECIFIC DAT	TA FOR VA PAM®
	TECHNICAL
	MANUFACTURING USE PRODUCT
	END USE PRODUCT

EPA REGISTRATION NO. 476-859
Table - \$158,120 Product Chemistry Data Requirements

	20 Product Chemistry Data Requirements	•	
REGISTRATION	Down Indiana	DATA RECEIVED	COMMENTS BY
GUIDELINE NO.	DATA REQUIREMENT	FROM PM	RSERB CHEMIST
			10010 0111101
	Product Identity:		
61-1	Identity of Ingredients		<b>L</b>
			See
61-2	Statement of Composition	H You	TO AT
61-3	Discussion on Formation of	1	1000
	Impurities		()
	-		
	Analysis and Certification		
	of Product Ingredients:	*	
		K	1 1
62-1	Preliminary analysis	1 yes	Herfuell
			Religion -
62-2 62-3	Certification of Limits	1 4 es	-CST
62-3	Analytical Methods for		000 4-
	Enforcement of Limits	Jes	Halfriell
		1 "	,
	Physical and Chemical Characteristics		
63-2	Color	Ven.	ide Call he see 12
63-3	Physical State	7411	okag (adolems yell
63-4	Odor	401	MA ( Post son
63-5	Melting Point	No.	170
63-6	Boiling Point	Yes	76 TUE 01
63-7	Specific Gravity	yes	Cook ou
63-8	Solubility	in	
63-9	Vapor Pressure	yes	onde
63-10	Dissoclation Constant	NO	MA
63-11	Octanol/Water Partition	<del> </del>	1 0
	Coefficient	100	N/A
63-12	рн	411	May (10.5)
63-13	Stability	John	NIR
63-14	Oxidizing or Reducing Action	100	
63-15	Flammability	yes	TK= (>1100)
63-16	Explodability	Gin	Trong ( beton below
63-17	Storage Stability	Jes	1 x kan
63-18	Viscosity	40	Mair
63-19	Miscibility	HU	N/A
63-20	Corrosion Characteristics	Jes No	Ekoy
63-21	Dielectric Breakdown Voltage	NV	MA

Bluehan Handava

#### PRODUCT CHEMISTRY REVIEW FOR NEW CHEMICALS

JUN 6 1986

PRODUCT SPECIFIC DATA FOR Methan-Scalium

TECHNICAL MANUFACTURING USE PRODUCT \_\_\_\_ END USE PRODUCT

EPA REGISTRATION NO. 476-859 - Only EP negistration

	0 Product Chemistry Data Requirements	J	
REGISTRATION	The state of the s	DATA RECEIVED	COMMENTS BY
GUIDELINE NO.	DATA REQUIREMENT	FROM PM	RSERB CHEMIST
	Product Identity:		
61-1	Identity of Ingredients	yes	Adejuate
61-2	Statement of Composition	Yes	okan.
61-2 61-3	Discussion on Formation of Impurities	Yes	Adejuale Okay Need in for on Beginning water
	Analysis and Certification of Product Ingredients:		
62-1	Preliminary analysis	yes	adequate
62-2	Certification of Limits	400	N/R ) Regar
62–3	Analytical Methods for Enforcement of Limits	100	N/R EP.
	Physical and Chemical Characteristics		
63-2	Color	Yes	okay
63-3	Physical State	Yes	Boliday-( Solid
63-4	Odor	Yes	. 1
63-5	Melting Point	NTO	Neadmethy (x)
63-6	Boiling Point	NO	NA
63-7	Specific Gravity	NS	NTA
63-8	Solubility	425	skor
63-9	Vapor Pressure	No	NTR
63-10	Dissoclation Constant	100	Resident
63-11	Octanol/Water Partition Coefficient	Yes	Olar
63-12	На	NO	WIR (Situa)
63-13	Stability	100	NOTR
63-14	Oxidizing or Reducing Action	1	17
63-15	Flammability		
63 <del>-</del> 16	Explodability	† <i>†</i>	1
63-17	Storage Stability	No	I NIK
63-18	Viscosity	1)	1/
63-19	Miscibility	1/	
63-20	Corrosion Characteristics	1	† <u>`</u>
63-21	Dielectric Breakdown Voltage	1)	1 /

Note to PM: Since the applicant is not seeking the 5
Nesistiation of TGAT, the info on Phys. Chec.
and adding the copt the info in wellings

#### PRODUCT CHEMISTRY INFORMATION FORM A

1.	Product Name VA PAM	
2.	EPA Reg. No. (if known) 476-859	
3.	Registrant Name Stauffer Chew	ical Compan
4.	Active Ingredient(s) <u>MeTham - Sodiu</u>	
-		
INF	ORMATION REQUESTED OF REGISTRANT	DATE Rec.
1.	Safety, Handling, & Storage Data	Reg. Rec.
2.	Analytical Method for Active Ingredient (A.I.)	
3.	Analytical Method for Specific Impurity	
4./	Analytical Grade Standard of A.I.	
5.	Analytical Standard of Specific Impurity*	
6.	Technical Grade of A.I.*	V
7.	MUPS Grade Material With A.I.*	
8.	EUPS Grade Material With A.I.*	<u> </u>
9.	Melting Point	
0.	Boiling Point	
11.	Solubility of A.I.	
12.	Spectral Data, IR	
	MS	
	NMR	
13.	Chromatographic Data, GLC	
	HPLC	
14.	Other Atomic absorption for sodies	
	Di Titrolin min	

\*With Purity Statement

Blurhau, Mandava for pri 2-1 6

## PRODUCT CHEMISTRY INFORMATION FORM B

1.	EPA Reg. No.	476-859
2.	RD File No.	150
3.	ACS Lab No.	
4.	Date Request Sent to ACS	6-6-86
5.	Date Received by ACS	
6.	Date Assigned	
7.	Date of Follow-Up	
8.	Date Reported to RD	

T FAE.	ORMATION REQUESTED OF ACS	DAT	ΓE
		Req.	Rec.
1.	Validation of Active Ingredient Method	v.	•
2.	Validation of Method for Specific Impurity		
3.	Validation of Melting Point		
4.	Validation of Boiling Point		
5.	Validation of Spectral Data, IR		
	MS		
	NMR		
6.	Validation of Chromatographic Data, GLC		
	HPLC		
7.	Other		

TGAZ and E.P

Blushau Handava prpH 21

COMMUNICATION LOG ON REVERSE